

ABSTRAK

ASUHAN KEBIDANAN KOMPREHENSIF KEHAMILAN, PERSALINAN, NIFAS, BBL, DAN KB PADA Ny.N GIIP10001 DI BPS AISATURRIDA, S.ST

Oleh : Novitasari

Jenis penelitian yang digunakan adalah jenis penelitian deskriptif dengan sampel yang digunakan yaitu Ny.N usia 29 tahun GIIP10001 dengan alat ukur yang digunakan yaitu, buku KIA, APN 60 langkah, partograf, penapisan, APGAR skor, kartu KB. Teknik analisa menggunakan manajemen asuhan kebidanan 7 langkah varney dan pendekatan metode SOAP.

Adapun proses kehamilan pada Ny.N berlangsung dengan normal pada kunjungan 33 minggu Ny.N mengeluh sering mual. Pada kunjungan 35 minggu Ny.N mengalami sering kencing. Kemudian pada proses persalinan kala I Ny.N mengalami KPD sehingga Ny.N perlu tindakan rujukan. Pada kunjungan masa nifas Ny.N mengalami nyeri pada abdomen karena kontraksi uterus yang baik dan ketidاكلancaran pengeluaran ASI pada kunjungan pertama. Tidak ada tanda-tanda bahaya masa nifas pada Ny.N. pada kunjungan Keluarga Berencana (KB) dilakukan sebanyak 2 kali dimana pada kunjungan pertama Ny.N diberikan konseling tentang macam-macam KB, pada kunjungan kedua Ny.N sudah memilih menggunakan KB suntik 3 bulan.

Berdasarkan hasil asuhan kebidanan *Continuity Of Care* yang dilakukan pada Ny.N pada masa kehamilan, persalinan, nifas, BBL, dan KB dengan lancar dan normal. Diharapkan klien dapat menerapkan konseling yang telah diberikan selama asuhan kebidanan agar kondisi ibu dan bayi tetap baik.

KATA KUNCI : *Continuity Of care*, Kehamilan, Persalinan, Nifas, Bayi Baru Lahir dan KB.d

ABSTRACT

COMPREHENSIVE ORGANIZATION OF PREGNANCY, LABOR, PRINCIPLES, BBL, AND KB IN Ny.N GIIP10001 IN BPS AISATURRIDA, S.ST

By: Novitasari

This type of research is a type of descriptive research with a sample used is Mrs. N age 29 years GIIP10001 with measuring instruments used namely, MCH book, APN 60 steps, partographs, screening, APGAR score, KB card. The analysis technique uses the management of 7 steps varney midwifery care and SOAP method approach.

The process of pregnancy in Mrs. N takes place normally at a 33-week visit. Mrs. N complains of frequent nausea. At a visit of 35 weeks, Mrs. N experiences frequent urination. Then in the process of childbirth when I experienced Ny.N KPD so that Ny.N needed a referral action. During the postpartum visit, Mrs. N experienced abdominal pain due to good uterine contractions and the lack of smooth delivery of milk at the first visit. There are no signs of danger of childbirth in Mrs. During the Family Planning (KB) visit, it was carried out 2 times where on the first visit, Mrs. N was given counseling about various types of family planning, on the second visit, Mrs. N chose to use 3-month injection KB.

Based on the results of Continuity Of Care midwifery care performed at Mrs. N during pregnancy, childbirth, childbirth, BBL, and KB smoothly and normally. It is expected that clients can apply counseling that has been given during midwifery care so that the condition of the mother and baby remain good.

KEY WORDS: Continuity Of care, Pregnancy, Childbirth, Postpartum, Newborns and KB.