

**KOMPREHENSIF KEHAMILAN, PERSALINAN, NIFAS, NEONATUS,  
DAN KELUARGA BERENCANA PADA NY. I G<sub>II</sub>P<sub>10001</sub> DI Klinik Pratama  
“UMMI”**

**Oleh : DEVI HANDAYANI**

Asuhan kebidanan berkelanjutan (*continuity of care*) yaitu pemberian asuhan kebidanan sejak kehamilan, bersalin, nifas, neonatus hingga memutuskan menggunakan KB ini bertujuan sebagai upaya untuk membantu memantau dan mendeteksi adanya kemungkinan timbulnya komplikasi yang menyertai ibu dan bayi dari masa kehamilan sampai ibu menggunakan KB. Tujuan penelitian adalah melakukan asuhan kebidanan komprehensif pada Ny.I di Klinik Pratama “UMMI”

Metode asuhan dalam LTA ini adalah dengan wawancara, observasi dan penatalaksanaan asuhan, subjek dalam asuhan ini adalah Ny.I G<sub>II</sub>P<sub>10001</sub> UK 39 minggu. Hasil asuhan kebidanan komprehensif selama kehamilan dengan resiko tinggi, pada persalinan dengan persalinan normal, pada masa nifas dengan nifas normal, pada neonatus dengan neonatus normal, dan menjadi KB suntik 3 bulan.

Kesimpulan dari asuhan kebidanan komprehensif ini didapat dengan melakukan asuhan kebidanan secara mandiri dan kolaborasi serta penanganan secara dini, pada kehamilan ibu beresiko tinggi, tidak ditemukan penyulit persalinan, nifas, neonatus. Disarankan kepada bidan untuk lebih menekankan ASI Eksklusif selama 6 bulan pada bayi baru lahir dan memberikan konseling kepada semua ibu yang memiliki bayi tentang pentingnya ASI bagi pertumbuhan dan perkembangan bayi hingga usia 2 tahun.

**Kata Kunci : Kehamilan, Persalinan, Nifas, Neonatus, Keluarga Berencana**

## ABSTRACT

### **COMPREHENSIVE MIDWIFERY CARE FOR PREGNANCY, CHILDBIRTH, CHILDBIRTH, NEONATUS, AND FAMILY PLANNING IN NY. I GIIP10001 DI Klinik Pratama “UMMI”**

**By: DEVI HANDAYANI**

Continuous midwifery care (continuity of care), namely the provision of midwifery care since pregnancy, childbirth, childbirth, neonates until deciding to use family planning is intended as an effort to help monitor and detect the possibility of complications that accompany mothers and babies from pregnancy to the mother using birth control. The aim of the study was to conduct comprehensive midwifery care for Mrs. . I in Klinik Pratama “UMMI”

The care method in this LTA is by interviewing, observing and managing care, the subject in this care is Mrs. I. GIIP10001 UK 39 weeks. The results of comprehensive midwifery care during high-risk pregnancies, in labor with a normal delivery, in the puerperium with normal puerperium, in neonates with normal neonates, and become a 3-month injection KB.

The conclusion of this comprehensive midwifery care is obtained by conducting midwifery care independently and collaboration and early treatment, in high-risk maternal pregnancies, no complications found in labor, childbirth, neonatal. It is recommended to midwives to emphasize exclusive breastfeeding for 6 months in newborns and provide counseling to all mothers who have babies about the importance of breast milk for the growth and development of infants up to the age of 2 years.

**Keywords: Pregnancy, Childbirth, Postpartum, Neonate, Family Planning**

